

# LINESCAPES FLOOR

Family of floor, ceiling and wall elements, efficient with an highly versatile linear luminous output. Body in aluminium extruded and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or black finishing with elements in grey painted on the floor and wall versions.



# LED 2700K

## LAMPING

Source	linear LED
Total power	38W
Emission	diffused
Switching	dimmable
Tension	110/240V
Color temperature	2700K
Luminous flux	2050lm (luminous output)
Typ cri	80
Energy class	A+
Materials	Aluminium + PC + ABS
Notes	dimmer on cable, cable lenght 2,5m
Net lamp weight	8,9 kg

## Codes

LIN LW2 21  
LIN LN2 21

## Structure

white  
black

## PACKAGE

Package 01	Dimension: 15x15x15 cm / Gross weight: 4,7 kg
Package 02	Dimension: 20x20x204 cm / Gross weight: 5,5 kg



# LED 3000K

## LAMPING

Source	linear LED
Total power	38W
Emission	diffused
Switching	dimmable
Tension	110/240V
Color temperature	3000K
Luminous flux	2050lm (luminous output)
Typ cri	80
Energy class	A+
Ip class	P
Materials	Aluminium + PC + ABS
Notes	dimmer on cable, cable length 2,5m
Net lamp weight	8,9 kg

## Codes

LIN LWD 21

LIN LND 21

## Structure/Diffuser

white/grey

black/grey

## PACKAGE

Package 01

Dimension: 15x15x15 cm / Gross weight:  
4,7 kg

Package 02

Dimension: 20x20x204 cm / Gross  
weight: 5,5 kg

