
vitra.

Colour & Material Library 2021

english (UK/Ireland)

Hopsak Home/Office, F60



Hopsak is an expressive, flat plain-weave fabric made of polyamide. The duotone colours offer a multitude of design possibilities in high-contrast, brightly hued or subtle combinations of warp and weft threads. Highly durable and robust, Hopsak can be used in private interiors as well as public areas.

Hopsak is available in 35 colours.

Material	100% polyamide
Weight	550 g/m² (16.2 oz/y²)
Width	127 cm +/- 2 cm (50'')
Abrasion resistance	200,000 Martin-
	dale
Fastness to light	Туре б
Pilling	Grade 4-5
Fastness to rubbing	Grade 4-5 dry and
	wet

Hopsak







88



cognac/ivory












16

mustard/dark grey

vitra.

Netweave

Home/Office



The semi-transparent, self-supporting netweave fabric combines a robust structure with an elegant, airy appearance. It is available in 2 colours. Material Weight Width Fastness to light 71% polyurethane, 29% polyester 630 g/m² (18.6 oz/y²) 138 cm (54″) Type 6

Fastness to rubbing

Grade 4–5 dry and wet

Ν	etweave	
---	---------	--



vitra.

Leather Home/Office, L20





The standard grade leather used by Vitra is a robust cowhide leather, dyedthrough, pigmented and embossed with an even grain pattern. Since it is hardwearing and easy to maintain, it can also be used in office environments.

Leather is available in 16 colours.

d- ith - also	Material	Robust cowhide with a distinctive, even grain
1150	Fastness to light	Туре б
	Thickness Fastness to rubbing	1.1–1.3 mm Grade 4 dry and wet

Leather/back panel Plano



Leather Premium F Home/Office, L50

Leather Premium F is a relatively smooth cowhide leather with a flat grain and fine top sheen. It is dyed-through, lightly pigmented and processed with a tanning agent extracted from olive tree leaves (a waste product of the olive harvest). Leather Premium F is available in 22 colours.

Material	Semi-aniline nappa leather with a very soft and supple feel, vegetable tanned
Fastness to light	Туре 5
Thickness Fastness to rubbing	1.1–1.3 mm Grade 4 dry and wet

vitra.

Eames Aluminium Group

Eames Soft Pad Group



Leather Premium F/back panel Plano

Metal

Vitra most frequently uses aluminium and steel for metal components. Since 94% less energy is required to produce recycled aluminium in comparison to primary aluminium, Vitra utilises aluminium consisting of 95% recycled material whenever possible. Depending on the product, metal surfaces are either powder-coated, chrome-plated, polished, galvanised or lacquered. A smooth or textured powdercoated finish provides colour and surface protection.

