"The Linear System Series places people at its center, being a place to meet, to collaborate or to work in focused solitude. The design process was about creating a system that made for intimately welcoming atmospheres, enhanced by the expression and functionality of its lighting and accessories. With its warm materiality and modern expression, the Linear System Series brings feelings of home into larger spaces to give the user a sense of belonging, even if being there only for a little while. The extensive selection of lighting and accessories means that the Linear System Series can be configured and reshuffled for any purpose of the modern workplace as well as hospitality settings and public areas, arrying the ideas of aesthetic and function into one."



— Thomas Bentzen

Designed by Thomas Bentzen

About the Designer Thomas Bentzen, former Head of Design at Muuto, started his own studio in 2010. Bentzen's

designs are characterized by simplicity, rationality and functionality — always firmly rooted in the Danish design tradition, material knowledge, craftsmanship and rational industrial manufacturing processes. His work continues to receive international recognition at fairs and exhibitions all over

the world.

Environment Indoor

Country of Production Latvia

Preassembled No - Full assembly of chosen configuration is needed. Please see more information in the assembly

instruction.

Description The Linear System Table is a simple yet refined table with subtle details and references to the

Scandinavian design heritage. Its legs are cut into half-circles and joined with the table for a light appearance, while the slender overhang at both ends of the table makes for a refined expression. The Linear System Table is available as a freestanding table, in predesigned configurations, or as

modules that you can use to customize your configuration. The narrow version of the Linear System

Table is ideal for conference and meeting rooms.



Material

Tabletop in Oak Veneer, Black version in Ash Veneer or Black Nanolaminate.

Black Nanolaminate has an ABS edge. Multiple tabletop finishes cannot be mixed in a linear system configuration.

The table frame is veneered plywood, and the legs are solid oak. Felt glides included.

Oak Veneer color variations: The Linear System Series oak veneer tabletops use high-quality mix-matched veneer to reduce differences in the visual appearance from tabletop to tabletop. However, wood is a natural material, meaning slight variations can occur from table to table.

Lacquered Oak: Oak is a traditionally Scandinavian material. It is durable against factors such as water and fungi and has a high level of strength, giving it long-lasting properties suitable for furniture.

Nanolaminate: Nanolaminate is a fully dense, ultra-fine-grained solid with a high concentration of interface defects. It is an innovative material with unique features such as low light reflexivity, an extremely matt surface, anti-fingerprints, and anti-bacterial properties. The nanolaminate surface is also resistant to scratches, dry heat, and acid solvents.

ABS: ABS is a common thermoplastic polymer. Within our collection, ABS is used on the edges of tables for an elegant expression with durable character.

Linear System Table W110 cm: Table frame is made from FSC™-certified (FSC-C028824) wood.

Wood and Veneer Surfaces: Clean the table with a damp cloth. If necessary, only use a mild detergent or washing-up liquid that is not concentrated. Always wipe with a dry cloth afterward. Liquid, grease, etc., should be removed immediately to minimize the risk of stains and marks.

Laminate Surface: Clean the table with a damp cloth. If necessary, use a mild detergent or washing-up liquid, not concentrated. Always wipe with a dry cloth afterward. Liquids, grease, etc., should be removed immediately to minimize the risk of stains and marks.

Nano Laminate: Treat the surface with a melamine sponge available in hardware stores to reduce minor scratches.

Accessories: Optional Screens and Trays for the Linear System. Screens are available in three sizes to be used either freestanding or mounted. Trays in three different sizes, all to be mounted. We recommend mounting screens to the table. Both trays and screens must be placed at least 5cm / 2" from the table edge. Lighting: More information is available in separate Product Fact Sheets. Table Power Outlet: Each Table Power Outlet has two standard power sockets and both one USB-A and a USB-C socket. Available in region-specific versions for EU and UK. Find more information inseparate Product Fact Sheet. Power Kit: Integrated power for Mounted Lamp(s), Table Lamp(s) or Table Power Outlet(s). Available in region-specific versions for EU, UK and US. Wieland Power distribution block (5-way) and Wieland cables. Find more information in separate Product Fact Sheet. Cable Tray to organize and hide cables under the table. Find more informationin separate Product Fact Sheet.

Cleaning & Care

Options



ai cystolli i abio

Dimensions Configuration 1 - W: IIO cm

/ 43.3"

 Length:
 360 cm / 141.7"

 Height:
 74 cm / 29.1"

 Width:
 115 cm / 45.3"



Configuration 2 - W: 110 cm

/ 43.3"

 Length:
 480 cm / 189"

 Height:
 74 cm / 29.1"

 Width:
 115 cm / 45.3"



Configuration 1 - W: 142 cm

/ 55.9"

 Length:
 360 cm / 141.7"

 Height:
 74 cm / 29.1"

 Width:
 147 cm / 57.8"



Configuration 2 - W: 142 cm

/ 55.9"

 Length:
 480 cm / 189"

 Height:
 74 cm / 29.1"

 Width:
 147 cm / 57.8"



Table - 110 x 240 H: 74 cm /

43.3 x 94.5 H: 29.1"

 Length:
 240 cm / 94.5"

 Height:
 74 cm / 29.1"

 Width:
 115 cm / 45.3"



Table - 142 x 240 cm / 55.9

x 94.5"

Length: 240 cm / 94.5" Height: 74 cm / 29.1" Width: 147 cm / 57.8"



Ready-to-Ship

Black Nanolaminate/Black ABS/Black Black Lacquered Ash Veneer/Black Black Nanolaminate/Black ABS/Oak Oak Veneer/Oak



Made-to-Order

Please contact our sales team to learn more about made-to-order possibilities.



Tests, Labels δ Certifications

Eco-Labels δ Certificates Forest Stewardship Council™ (FSC-C028824)

VOC — Bifma X 7.1 VOC — CDPH 01350

Safety & Regulations $\qquad\qquad$ EAC Certificate

TSCA Title VI - formaldehyde

Strength, Durability $\boldsymbol{\delta}$ Stability

BIFMA X5.5 — Desk Products EN 15372-L2 & -L3 Furniture

Linear System Table W110 cm: Table frame is made from FSC™-certified (FSC-C028824) wood. Note that the connector pins in this productct ontains

lead, CAS no. 7439-92-1.

Explore Assets DOWNLOAD SITE

Create Your Own PRODUCT PLANNER



The Linear System Series brings a new perspective to the evolving needs of the modern workspaces, hospitality settings and educational institutions through its configurable design across tables, lighting, screens and trays alongside its custom integrated power solution, allowing one to tailor the design to the exact needs of any space.

Option A — Choose between one of our predesigned table configurations and simply add your desired lamps and accessories.

Option B — Create your own configuration from scratch and add lamps and accessories from there.

Option A — Predesigned Table Configurations

STEP 1. TABLES

Select either the Linear System Table or one of two Linear System Table Configurations.

Different finishes of tabletops cannot be mixed as they might vary in thickness.

Linear System Table WI42 Height - 74 cm / 29.1" Table top width — 142 cm / 55.9" Total width — 146,9 cm / 57.8"





Table

No of Persons - 4-6



Configuration I







Configuration 2

Linear System Table WIIO

Height - 74 cm / 29.1" Table top width — IIO cm / 43.3" Total width -II5 cm / 45,3'








Linear System Table High H95

Height - 95 cm / 37.4" Table top width — IIO cm / 43.3" Total width — II5 cm / 45.3"








Linear System Table High HIO5

Height - 105 cm / 41.4" Table top width — IIO cm / 43.3" Total width - II5 cm / 45.3"









STEP 2. ACCESSORIES

Trays

Add your desired number of Linear System Trays.

Note

Trays must be mounted at least 5 cm / 2" from the table edge.

Linear System Tray - Ø24 cm / 9.5"

Height — I5,6 cm / 6.2" Diameter — 24 cm / 9.5"



Linear System Tray - Ø36 cm / 14.2"

Height — 9,6 cm / 3.8" Diameter — 36 cm / 14.2"



Linear System Tray — 75 cm / 29.5"

Height — 15 cm / 5.9" Width — 21 cm / 8.3" Length — 75 cm / 29.5"



Screens

Add your desired number of Linear System Screens.

Note

We recommend that screens are mounted to the table. They must be placed at least $5\,\mathrm{cm}$ / 9" from the table edge.

Linear System Screen — 75 cm / 29.5"

Height — 35 cm / I3.8" Width — I5 cm / 5.9" Length — 75 cm / 29.5"




Linear System Screen — 125 cm / 49.2"

Height — 35 cm / 13.8" Width — 15 cm / 5.9" Length — 125 cm / 49.2"



Linear System Screen — 178 cm / 70.1"


Height — 35 cm / I3.8" Width — I5 cm / 5.9" Length — I78 cm / 70.1"



Note

Please note that only the Linear System Screen 125 cm / 49.2° can be mounted across the table.

Example



OPTION A



STEP 3. LIGHTING

Add your desired number of Linear Lamps.

Note

The Linear Table Lamp has one USB-C plug.

Linear Table Lamp

Height — 36,5 cm / 14.4 Width — 23,2 cm / 9.1" Depth — 16,5 cm / 6.5"



Note

Linear Mounted Lamp must be mounted at least 5 cm / 2" from the table edge.

Please be aware that the Linear Mounted Lamp and Table Power Outlet, both designed for the Linear System Series, have a special power solution with special plugs. See more on page 4

Linear Mounted Lamp — 23,2 cm / 9.1"

Height — 36,5 cm / 14.4" Width — 23,2 cm / 9.1" Depth — 10,7 cm / 4.2"



Linear Mounted Lamp — 209,2 cm / 82.4"

Height — 70,7 cm / 27.8" Width — 209,2 cm / 82.4" Depth — IO,7 cm / 4.2"



Linear Pendant Lamp — 87,2 cm / 34.3"

Height — 5,4 cm / 2.1" Width — 87,2 cm / 34.3" Depth — IO,7 cm / 4.2"



Linear Pendant Lamp — 169,2 cm / 66.6"

Height — 5,4 cm / 2.1" Width — 169,2 cm / 66.6" Depth — 10,7 cm / 4.2"



STEP 4. TABLE POWER OUTLETS

Specify your desired number of Table Power Outlets. Each Table Power Outlet has two outlets (one at each end) and one USB-A and USB-C plug to which standard plugs can be connected. Kindly remember to select your region-specific version.

Note

Linear System Table Power Outlet must be mounted at least 5 cm / 2" from the table edge.

Linear System Table Power Outlet — EU, UK

Height — 7 cm / 2.8" Width — 7 cm / 2.8" Length — 18 cm / 7.1"





OPTION A



STEP 5. INTEGRATED POWER FOR MOUNTED LAMPS & TABLE POWER OUTLETS


If you'd like to add the Mounted Lamp(s) or Table Power Outlet(s), select the Table Power Kit for the Linear System Table or one of the three Power Configurations that match your selected Linear System Table Configuration. Kindly remember to select the region-specific power kit.

Note

Each Distribution Block has five outlets to which up to five Linear Mounted Lamps or Linear System Table Power Outlets can be plugged in.

The Extension Kit must be connected to the Power Kit. An Extension Kit has no standard plug.

Distribution Block — 5-way



EU cable 200 cm cable UK cable 200 cm fused plug






Linear System Table

Linear System Power

Power Kit (I pcs) 200 cm / 59" cable (EU or UK) Distribution Block







Linear System Table Configuration (

Linear System Power Configuration (

Power Kit (I pcs) 200 cm / 59" cable (EU or UK) Distribution Block



Power Extension Kit — 200 cm (I pcs) 200 cm / 79" cable Distribution Block







Linear System Table Configuration 2

Linear System Power Configuration 2

Power Kit (I pcs) 200 cm / 59" cable (EU or UK) Distribution Block




Power Extension Kit — 250 cm (I pcs) 250 cm / 98" cable Distribution Block






Note
The Integrated Power for Linear System Series has unique internal plugs to provide a slim and discreet look. This means that you cannot connect a standard plug to the power without using the Linear Table Power Outlet $\,$ or changing the standard plug to a matching plug, being the Wieland GST1813 plug.

The Linear Mounted Lamps must be connected to the integrated Power Kit.




I. Connecting using the Wieland GSTI8I3 plug

2. Connecting using a standard plug to the Linear Table Power Outlet




LINEAR TABLE LAMP ONLY

The Linear Table Lamp can either be connected to a standard wall plug or the Table Power Outlet.



Alternatively, you can connect it to the integrated Power Kit by replacing the plug with \boldsymbol{a} custom Wieland GSTI8I3 plug that is included with the lamp. Kindly refer to the Linear Table Lamp manual for instructions.

Integrated Power Kit (Wieland GSTI813 plug)



STEP 6. CABLE TRAYS


We recommend using 1 Cable Tray for the End Module – 120 cm / 47.2" and up to 3 Cable Trays for the Linear Table, End Module – 240 cm / 94.2" and the Middle Module – 240 cm / 94.2".

Linear System Cable Tray

Height — 3 cm / 1.2" Width — 22 cm / 8.7" Depth — 60 cm / 23.7"



Example:





Linear System Table — 240 cm / 94.5"


Linear System End Module — I2O cm / 47.2 $^{\circ}$

STEP 7. CABLE GUIDE


Cable guide also works for Base Table and fits a US cable.

Cable Guide

Height — 73 cm / 28.7" Height — 95 cm / 37.4" Height — 105 cm / 41.3"



Example:



Option B — Create your own configuration

STEP 1. TABLES

A)

A configuration must always have End Modules in each end.


Start by defining the total length of your desired configuration, then select two table ends.

Different finishes of tabletops cannot be mixed as they might vary in thickness.

Linear System End Module - 240 cm / 94.5"

Linear System End Module - 120 cm / 47.2"

Height — 74 cm / 29.1"; Width - 146.9 cm / 57.81 Length - 240 cm / 94.5" No of Persons - 4-6



Height - 74 cm / 29.1" Width - IIO cm / 43.3" Length - I2O cm / 47.2" No of Persons - 2



Height — 74 cm / 29.1"; Width - IIO cm / 43.3"; Length - 240 cm / 94.5" No of Persons - 4-6



Height - 74 cm / 29.1" Width - 146,9 cm / 57.8' Length - I2O cm / 47.2" No of Persons - 2



Height - 95 cm / 37.4" Width - IIO cm / 43.3" Length - 240 cm / 94.5" No of Persons - 4-6



Height - 95 cm / 37.4" Width - IIO cm / 43.3" Length - I2O cm / 47.2" No of Persons - 2



Height - IO5 cm / 4I.4" Width - IIO cm / 43.3" Length - 240 cm / 94.5" No of Persons - 4-6



Width - IIO cm / 43.3" Length - I2O cm / 47.2" No of Persons - 9



B)

Next, add the second, and final, End Module or your desired number of Middle Modules, only available in 240 cm / 94.5" length but in 2 different widths (IIO cm / 43.3" and I42 cm / 55.9").

Please note that it is not possible to connect more than two End Modules.


C)

Next, you must order 1 set of Connecting Legs every time two modules are connected.

95cm / 37.4" and IO5cm / 41.4" Connecting Legs can only be connected to IIOcm / 43.3" width tabletops (not to I42 cm/55.9" width tabletops).

Linear System Middle Module — 240 cm / 94.5"


Width - IIO cm / 43.3"; 142 cm / 55.9" Length — 240 cm / 94.5 No of Persons — 4-6



If you'd like a configuration of one End Module - 240 cm / 94.5" and one

Middle Module - 240 cm / 94.5" and one End Module — 240 cm / 94.5", you must order two sets of Connecting Legs, as shown in the illustration.

Example



STEP 2. ACCESSORIES

Trays

Add your desired number of Linear System Trays.

Trays must be mounted at least 5 cm / 2" from the table edge.

Linear System Tray - Ø24 cm / 9.5"

Height — I5,6 cm / 6.2" Diameter - 24 cm / 9.5"



Linear System Tray - Ø36 cm / 14.2"

Height - 9,6 cm / 3.8" Diameter — 36 cm / 14.2"



Linear System Tray — 75 cm / 29.5"

Height — I5 cm / 5.9" Width — 2I cm / 8.3" $Length-75\,cm\,/\,29.5"$



Screens

Add your desired number of Linear System Screens.

Note
We recommend that screens are mounted to the table. They must be placed at least 5 cm / 2" from the table edge.

Linear System Screen - 75 cm / 29.5"

Height — 35 cm / I3.8" Width — I5 cm / 5.9" Length — 75 cm / 29.5"




Linear System Screen — I25 cm / 49.2"

Height — 35 cm / I3.8" Width — I5 cm / 5.9" Length - I25 cm / 49.2"




Linear System Screen — 178 cm / 70.1"

Height — 35 cm / I3.8" Width — 15 cm / 5.9" Length — 178 cm / 70.1"



Please note that only the Linear System Screen I25 cm / 49.2" can be mounted across the table.

Example





STEP 3. LIGHTING

Add your desired number of Linear Lamps.

Note

The Linear Table Lamp has one USB-C plug.

Linear Table Lamp

Height — 36,5 cm / 14.4 Width — 23,2 cm / 9.1" Depth — 16,5 cm / 6.5"



Note

Linear Mounted Lamp must be mounted at least 5 cm / 2° from the table edge.

Please be aware that the Linear Mounted Lamp and Table Power Outlet, both designed for the Linear System Series, have a special power solution with special plugs. See more on page 4.

Linear Mounted Lamp — 23,2 cm / 9.1"

Height — 36,5 cm / 14.4" Width — 23,2 cm / 9.1" Depth — 10,7 cm / 4.2"



Linear Mounted Lamp — 209,2 cm / 82.4"

Height — 70,7 cm / 27.8" Width — 209,2 cm / 82.4" Depth — IO,7 cm / 4.2"



Linear Pendant Lamp — 87,2 cm / 34.3"

Height — 5,4 cm / 2.1" Width — 87,2 cm / 34.3" Depth — IO,7 cm / 4.2"



Linear Pendant Lamp — 169,2 cm / 66.6"

Height — 5,4 cm / 2.1" Width — 169,2 cm / 66.6" Depth — 10,7 cm / 4.2"



STEP 4. TABLE POWER OUTLETS

Specify your desired number of Table Power Outlets. Each Table Power Outlet has two outlets (one at each end) and one USB-A and USB-C plug to which standard plugs can be connected. Kindly remember to select your region-specific version.

Note

Linear System Table Power Outlet must be mounted at least 5 cm / 2" from the table edge.

Linear System Table Power Outlet — EU, UK

Height — 7 cm / 2.8" Width — 7 cm / 2.8" Length — 18 cm / 7.1"





OPTION

 $1.\,\mathsf{TABLES}\,/\,2.\,\mathsf{ACCESSORIES}\,/\,\underline{3.\,\mathsf{LIGHTING}\,/\,4.\,\mathsf{TABLE}\,\mathsf{POWER}\,\mathsf{OUTLET}}\,/\,5.\,\mathsf{INTEGRATED}\,\mathsf{POWER}\,/\,6.\,\mathsf{CABLE}\,\mathsf{TRAY}\,/\,7.\,\mathsf{CABLE}\,\mathsf{GUIDE}\,/\,2.\,\mathsf{CABLE}\,/\,2.\,\mathsf{CA$



STEP 5. INTEGRATED POWER FOR MOUNTED LAMPS & TABLE POWER OUTLET


If you'd like to add the Mounted Lamp(s)) and/or Table Power Outlet(s), select the Power Kit for the first End Module you choose and then add an a Power Extension Kit for each table added.

If you add a End Module or a Middle Module — 240 cm / 94.5", select the 250 cm / 98" Power Extension Kit.

If you add a End Module -120 cm / 47.2", select the 200 cm / 79" Power Extension kit.


Power Kit (I pcs)

200 cm / 59" cable (EU or UK) Distribution Block




Power Extension Kit (X pcs)

200 cm / 79" or 250 cm / 98" cable Distribution Block




Example 1

Power Kit (I pcs) 200 cm / 59" cable (EU or UK)




Example 2


Power Kit (I pcs) 200 cm / 59" cable (EU or UK) Distribution Block




LINEAR TABLE LAMP ONLY

The Linear Table Lamp can either be connected to a standard wall plug or the Table Power Outlet.





Integrated Table Power Kit (Wieland GST1813 plug)



OPTION E



STEP 6. CABLE TRAYS


We recommend using 1 Cable Tray for the End Module – 120 cm / 47.2" and up to 3 Cable Trays for the Linear Table, End Module – 240 cm / 94.2" and the Middle Module – 240 cm / 94.2".

Linear System Cable Tray

Height — 3 cm / 1.2" Width — 22 cm / 8.7" Depth — 60 cm / 23.7"



Example:








Linear System End Module — I2O cm / 47.2"

STEP 7. CABLE GUIDE

Cable guide also works for Base Table and fits a US cable.

Cable Guide

Height — 73 cm / 28.7" Height — 95 cm / 37.4" Height — 105 cm / 41.3"



Example:

