

UNTITLED READING CONE

Bernhard Osann

Family of LED table/floor and wall lamps made of extruded aluminium painted matt black equipped with joints for flexible and dynamic positioning of the light.

The model with a cylindrical aluminium spotlight head features a stem that better respects the balance of the lamp, with a cone in the finishes gold and black and a linear lighting unit in polymer filled with glass fibers in the black finish.

Dimmer on board.



LED 2700K

LAMPING

Source	LED spot
Total power	6,5W
Emission	orientable spot
Switching	dim on board
Tension	110-240V
Color temperature	2700K
Luminous flux	395lm
Typ CRI	90
Materials	aluminum, technopolymer
Notes	cable length 2m
Net lamp weight	5 kg

Codes

UNT LN2 2C
UNT LN2 2D


Structure/Diffuser

black/gold
black/black

PACKAGE

Package 01	Dimension: 206x15x11 cm / Gross weight: 4,5 kg
Package 02	Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni



LED 3000K

LAMPING

Source	LED spot
Total power	6,5W
Emission	orientable spot
Switching	dim on board
Tension	110-240V
Color temperature	3000K
Luminous flux	395lm
Typ CRI	90
Materials	aluminum, technopolymer
Notes	cable length 2m
Net lamp weight	5 kg

Codes

UNT LNN 2C
UNT LNN 2D


Structure/Diffuser

black/gold
black/black

PACKAGE

Package 01	Dimension: 206x15x11 cm / Gross weight: 4,5 kg
Package 02	Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni




UNTITLED READING LINEAR

Bernhard Osann

Family of LED table/floor and wall lamps made of extruded aluminium painted matt black equipped with joints for flexible and dynamic positioning of the light.

The model with a cylindrical aluminium spotlight head features a stem that better respects the balance of the lamp, with a cone in the finishes gold and black and a linear lighting unit in polymer filled with glass fibers in the black finish.

Dimmer on board.



2700K

LAMPING

Source	LED board
Total power	7W
Emission	orientable
Switching	dim on board
Tension	110/240V
Color temperature	2700K
Luminous flux	485lm (luminous output)
Typ CRI	90
Dimensions	114x73
Notes	cable length 2m
Net lamp weight	5 kg

Codes

UNT LN2 2A

Structure

black

PACKAGE


Package 01

Dimension: 206x15x11 cm / Gross weight: 4,5 kg

Package 02

Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni



3000K

LAMPING

Source	LED board
Total power	7W
Emission	orientable
Switching	dim on board
Tension	110/240V
Color temperature	3000K
Luminous flux	485lm (luminous output)
Typ CRI	90
Dimensions	114x73
Notes	cable length 2m
Net lamp weight	5 kg

Codes

UNT LNN 2A


Structure

black

PACKAGE

Package 01	Dimension: 206x15x11 cm / Gross weight: 4,5 kg
Package 02	Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni




UNTITLED READING SPOT

Bernhard Osann

Family of LED table/floor and wall lamps made of extruded aluminium painted matt black equipped with joints for flexible and dynamic positioning of the light.

The model with a cylindrical aluminium spotlight head features a stem that better respects the balance of the lamp, with a cone in the finishes gold and black and a linear lighting unit in polymer filled with glass fibers in the black finish.

Dimmer on board.



2700K

LAMPING

Source	LED spot 40°
Total power	6,5W
Emission	orientable spot
Switching	dim on board
Tension	110/240V
Color temperature	2700K
Luminous flux	395lm (luminous output)
Typ CRI	90
Dimensions	114x60
Notes	cable length 2m
Net lamp weight	5 kg

Codes

UNT LN2 2B

Structure

black

PACKAGE


Package 01

Dimension: 206x15x11 cm / Gross weight: 4,5 kg

Package 02

Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni



3000K

LAMPING

Source	LED spot 40°
Total power	6,5W
Emission	orientable spot
Switching	dim on board
Tension	110/240V
Color temperature	3000K
Luminous flux	395lm (luminous output)
Typ CRI	90
Dimensions	114x60
Notes	cable length 2m
Net lamp weight	5 kg

Codes

UNT LNN 2B

Structure

black

PACKAGE

Package 01

Dimension: 206x15x11 cm / Gross weight: 4,5 kg

Package 02

Dimension: 24x20x8 cm / Gross weight: 1,5 kg

Certificazioni

